

To: Peronard, Paul[Peronard.Paul@epa.gov]
From: JT Newman
Sent: Tue 8/5/2014 4:39:08 PM
Subject: FW: Waste Management Plan
Red River Supply WMP 07242014.pdf

Hey Paul,

It may have been because it looks like I didn't send it to you. That is my fault.

Please see the attached Waste Management plan.

J. T Newman

J.T. Newman

Enhanced Environmental and Emergency Services Inc.

1682 Springridge Rd,

Raymond, MS 39154

1-844-333-0939 Office

1-844-325-0511 Fax

601-966-6535 Cell

From: JT Newman
Sent: Friday, August 01, 2014 4:38 PM
To: kroberts@nd.gov; 'david.robinson@westonsolutions.com'

Cc: 'johnpavlicek@garner-es.com'; 'mikec@redriversupply.us'; 'msopczak@garner-es.com';
'Kyle Lawrence'
Subject: Waste Management Plan

Kris,

Please see the attached Waste Management Plan for waste generated from the Red River Site.
Any feedback is appreciated.

Please note that this plan does not include asbestos. If the asbestos samples come back positive we will amend the plan to include applicable asbestos sampling and include facilities that can receive asbestos.

The preferred facilities will be PDI R360 for the contaminated waters and Solids, Pacific Steel for the recycled Metal, and City of Williston for the household trash. The others are just backup options.

Thanks,
JT

J. T Newman

J.T. Newman

Enhanced Environmental and Emergency Services Inc.

1682 Springridge Rd,

Raymond, MS 39154

1-844-333-0939 Office

1-844-325-0511 Fax

601-966-6535 Cell